

NIOSH POCKET GUIDE TO CHEMICAL HAZARDS

DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Institute for Occupational Safety and Health

September 2007

DHHS (NIOSH) Publication No. 2005-149

First Printing – September 2005
Second Printing – August 2006, with minor technical changes
Third Printing – September 2007, with minor technical changes

DISCLAIMER

Mention of the name of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health (NIOSH). In addition, citations to Web sites external to NIOSH do not constitute NIOSH endorsement of the sponsoring organizations or their programs or products. Furthermore, NIOSH is not responsible for the content of these Web sites.

ORDERING INFORMATION

To receive documents or other information about occupational safety and health topics, contact NIOSH at:

Telephone: 1-800-CDC-INFO (1-800-232-4636)

TTY: 1-888-232-6348

E-mail: cdcinfo@cdc.gov

NIOSH Web site: <http://www.cdc.gov/niosh>

For a monthly update on news at NIOSH, subscribe to NIOSH *eNews* by visiting www.cdc.gov/niosh/eNews.

For sale by:

Superintendent of Documents
U.S. Government Printing Office
P.O. Box 371954
Pittsburgh, PA 15250-7954

GPO stock number: 017-033-00500-1
Internet: <http://bookstore.gpo.gov>
Telephone: (202) 512-1800
Toll-free telephone: (866) 512-1800
Fax: (202) 512-2104

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Telephone: (703) 605-6000

NTIS stock number: PB2005-108099
Internet: <http://www.ntis.gov>
Telephone: (703) 605-6000
Toll-free telephone: (800) 553-6847

**This document is in the public domain and
may be freely copied or reprinted.**

SAFER • HEALTHIER • PEOPLE™

ELECTRONIC VERSIONS

The *Pocket Guide* is available in CD-ROM format from NIOSH and is on the NIOSH Web site (<http://www.cdc.gov/niosh/npg/npg.html>). Further information about these electronic versions, or about copies of this and other NIOSH documents, may be obtained from the office listed below:

NIOSH Publications
4676 Columbia Parkway
Cincinnati, Ohio 45226-1998
Toll-free telephone: (800) 356-4674
Fax: (513) 533-8573

The *Pocket Guide* is also made available through commercial vendors in electronic formats. It is currently available in CD-ROM format from the vendors listed below. Please contact them directly to receive more detailed information, including the prices of their products.

**Canadian Centre for
Occupational Health and Safety**
Hamilton, Ontario, Canada
Toll-free telephone: (800) 668-4284
Fax: (905) 572-2206

Industrial Hygiene Services, Inc.
St. Louis, Missouri
Toll-free telephone: (800) 732-3015
Fax: (314) 726-6361

Emergency Response Specialists, Inc.
Birmingham, Alabama
Telephone: (205) 324-0100

Praxis Environmental Systems, Inc.
Guilford, Connecticut
Telephone: (203) 458-7111
Fax: (203) 458-7121

Micromedex, Inc.
Englewood, Colorado
Toll-free telephone: (800) 525-9083
Fax: (800) 635-6339

Tecsa S.p.A.
Italy (portion in Italian)
Telephone: +39 2 33910.484
Fax: +39 2 33910.737

COMMENTS & SUGGESTIONS

We encourage and welcome any comments, suggestions, or corrections that you may have regarding the *Pocket Guide*. You can use the Reader Response Card included with the *Pocket Guide*, or you can contact us via e-mail or telephone. Thank you for your comments and suggestions.

E-mail address: npgcomments@cdc.gov

Toll-free telephone: (800) 356-4674

PREFACE

The *NIOSH Pocket Guide to Chemical Hazards* presents information taken from the *NIOSH/OSHA Occupational Health Guidelines for Chemical Hazards*, from National Institute for Occupational Safety and Health (NIOSH) criteria documents and Current Intelligence Bulletins, and from recognized references in the fields of industrial hygiene, occupational medicine, toxicology, and analytical chemistry. The information is presented in tabular form to provide a quick, convenient source of information on general industrial hygiene practices. The information in the *Pocket Guide* includes chemical structures or formulas, identification codes, synonyms, exposure limits, chemical and physical properties, incompatibilities and reactivities, measurement methods, respirator selections, signs and symptoms of exposure, and procedures for emergency treatment.

The information assembled in the original 1978 printing of the *Pocket Guide* was the result of the Standards Completion Program, a joint effort by NIOSH and the Department of Labor to develop supplemental requirements for the approximately 380 workplace environmental exposure standards adopted by the Occupational Safety and Health Administration (OSHA) in 1971.

Listed below are changes that were made for this edition (2005-149) of the *Pocket Guide*:

- New layout for the Chemical Listing section.
- Recommendations for particulate respirators have been revised to incorporate “Part 84” terminology. See “Recommendations for Respirator Selection” on page xiv for a more thorough explanation of these changes.
- The Synonym and Trade Name Index has been expanded. This index is now called the Chemical, Synonym, and Trade Name Index (page 383).
- Some ID and Guide Numbers were changed to reflect changes made in the *2004 Emergency Response Guidebook* (<http://hazmat.dot.gov/pubs/erg/guidebook.htm>).
- Appendix E (page 351) has been revised. It now contains OSHA respirator requirements for 28 chemicals or hazardous substances that were identified in the preamble to the OSHA Respiratory Protection Standard (29 CFR 1910.134).
- Other minor technical changes have also been made since the February 2004 edition. (For the most current information and updates, consult the electronic version on the NIOSH Web site: <http://www.cdc.gov/niosh/npg/npg.html>.)

Listed below are changes made for the 3rd printing of this edition of the *Pocket Guide*:

- Changes were made to reflect the new OSHA PEL for hexavalent chromium.
- The NIOSH REL for coal mine dust was added to the coal dust entry.
- A few other minor technical changes have been made.

CONTENTS

Preface	iv
Acknowledgments	vi
Introduction	vii
NIOSH Recommendations	vii
How to Use This Pocket Guide	viii
Table 1 – NIOSH Manual of Analytical Methods	xvii
Table 2 – Personal Protection and Sanitation Codes	xviii
Table 3 – Symbols, Code Components, and Codes Used for Respirator Selection	xx
Table 4 – Selection of N-, R-, or P-Series Particulate Respirators	xxv
Table 5 – Abbreviations for Exposure Routes, Symptoms, and Target Organs	xxvi
Table 6 – Codes for First Aid Data	xxviii
Chemical Listing	1
Appendices	341
Appendix A – NIOSH Potential Occupational Carcinogens	342
Appendix B – Thirteen OSHA-Regulated Carcinogens	344
Appendix C – Supplementary Exposure Limits	345
Appendix D – Substances with No Established RELs	350
Appendix E – OSHA Respirator Requirements for Selected Chemicals	351
Appendix F – Miscellaneous Notes	361
Appendix G – Vacated 1989 OSHA PELs	362
Indices	373
CAS Number Index	374
DOT ID Number Index	379
Chemical, Synonym, and Trade Name Index	383

ACKNOWLEDGMENTS

The Education and Information Division (EID), National Institute for Occupational Safety and Health (NIOSH), has primary responsibility for the development of the *Pocket Guide*. There have been many people who have contributed to the preparation and development of this document since it was first published in 1978. I would like to express my appreciation to the following people within EID for their efforts: Vern Anderson for general guidance; Guss Hasbani (Constella Group, Inc.) for computer programming and database development that has been vital to the production of this new edition; Heinz Ahlers, Barb Dames, Charles Geraci, Richard Niemeier, David Votaw, Alan Weinrich, and Ralph Zumwalde for policy review; David Case, Laura Delaney, and Rolland Rogers for reformatting and computerization; Vanessa Becks, Anne Hamilton, and Rodger Tatken for editorial review; Clayton Doak, Eileen Kuempel, Leela Murthy, Henryka Nagy, John Palassis, Faye Rice, and David Votaw for assistance in updating and adding information; Lawrence Foster, Vicki Reuss, Lucy Schoolfield, and Ronald Schuler for data acquisition; Kent Hatfield for consultation on toxicology issues; Charlene Maloney for publication dissemination and general guidance; and Oliver F. Cobb and Associates (Carla Brooks, George Brown, Sherri Diana, and Jesse Romans) for answering requests and mailing thousands of copies of the *Pocket Guide*.

The following people, who constitute the *Pocket Guide* Editorial Board, have contributed greatly by providing guidance and review of the content and style of this new edition: Steven Ahrenholz (Division of Surveillance, Hazard Evaluations and Field Studies, DSHEFS), Roland BerryAnn (National Personal Protective Technology Laboratory, NPPTL), Joseph Bowman (Division of Applied Research and Technology, DART), Pamela Drake (Spokane Research Laboratory, SRL), Gerald Joy (Pittsburgh Research Laboratory, PRL), Alan Lunsford (DART), Nancy Nilsen (DSHEFS), Paula Fey O'Connor (DART), Carl Ornot (Office of Administrative and Management Services, OAMS), Jay Snyder (NPPTL), Sidney Soderholm (Health Effects Laboratory Division, HELD), David Sylvain (DSHEFS), Ainsley Weston (HELD), and Anthony Zimmer (DART).

In addition, the following people also have contributed greatly to the *Pocket Guide*: Mary Ellen Cassinelli (DART), Donald Dollberg (DART), and Paula Fey O'Connor (DART) for the development of the measurement methods section; Roland BerryAnn (NPPTL), Nancy Bollinger (HELD), Christopher Coffey (Division of Respiratory Disease Studies, DRDS) for the development of respirator recommendations; Laurence Reed (DART) and John Whalen (DART) for policy review; Crystal Ellison (Office of Compensation Analysis and Support, OCAS) for assistance in updating and adding information; and Henry Chan and Howard Ludwig (former *Pocket Guide* Technical Editors) for general guidance.

Also, thanks are due to all of the people who have reviewed and commented on the *Pocket Guide* during its initial development and subsequent revisions.

Michael E. Barsan
(Technical Editor)

INTRODUCTION

The *NIOSH Pocket Guide to Chemical Hazards* provides a concise source of general industrial hygiene information for workers, employers, and occupational health professionals. The *Pocket Guide* presents key information and data in abbreviated tabular form for 677 chemicals or substance groupings commonly found in the work environment (e.g., manganese compounds, tellurium compounds, inorganic tin compounds, etc.). The industrial hygiene information found in the *Pocket Guide* assists users to recognize and control occupational chemical hazards. The chemicals or substances contained in this revision include all substances for which the National Institute for Occupational Safety and Health (NIOSH) has recommended exposure limits (RELs) and those with permissible exposure limits (PELs) as found in the Occupational Safety and Health Administration (OSHA) Occupational Safety and Health Standards (29 CFR 1910.1000 – 1052).

Background

In 1974, NIOSH (which is responsible for recommending health and safety standards) joined OSHA (whose jurisdictions include promulgation and enforcement activities) in developing a series of occupational health standards for substances with existing PELs. This joint effort was labeled the Standards Completion Program and involved the cooperative efforts of several contractors and personnel from various divisions within NIOSH and OSHA. The Standards Completion Program developed 380 substance-specific draft standards with supporting documentation that contained technical information and recommendations needed for the promulgation of new occupational health regulations. The *Pocket Guide* was developed to make the technical information in those draft standards more conveniently available to workers, employers, and occupational health professionals. The *Pocket Guide* is updated periodically to reflect new data regarding the toxicity of various substances and any changes in exposure standards or recommendations. (For the most current information and updates, consult the electronic version on the NIOSH Web site: <http://www.cdc.gov/niosh/npg/npg.html>.)

Data Collection and Application

The data collected for this revision were derived from a variety of sources, including NIOSH policy documents such as Criteria Documents and Current Intelligence Bulletins (CIBs), and recognized references in the fields of industrial hygiene, occupational medicine, toxicology, and analytical chemistry.

NIOSH RECOMMENDATIONS

Acting under the authority of the Occupational Safety and Health Act of 1970 (29 USC Chapter 15) and the Federal Mine Safety and Health Act of 1977 (30 USC Chapter 22), NIOSH develops and periodically revises recommended exposure limits (RELs) for hazardous substances or conditions in the workplace. NIOSH also recommends appropriate preventive measures to reduce or eliminate the adverse health and safety effects of these

hazards. To formulate these recommendations, NIOSH evaluates all known and available medical, biological, engineering, chemical, trade, and other information relevant to the hazard. These recommendations are then published and transmitted to OSHA and the Mine Safety and Health Administration (MSHA) for use in promulgating legal standards.

NIOSH recommendations are published in a variety of documents. Criteria documents recommend workplace exposure limits and appropriate preventive measures to reduce or eliminate adverse health effects and accidental injuries.

Current Intelligence Bulletins (CIBs) are issued to disseminate new scientific information about occupational hazards. A CIB may draw attention to a formerly unrecognized hazard, report new data on a known hazard, or present information on hazard control.

Alerts, Special Hazard Reviews, Occupational Hazard Assessments, and Technical Guidelines support and complement the other standard development activities of the Institute. Their purpose is to assess the safety and health problems associated with a given agent or hazard (e.g., the potential for injury or for carcinogenic, mutagenic, or teratogenic effects) and to recommend appropriate control and surveillance methods. Although these documents are not intended to supplant the more comprehensive criteria documents, they are prepared in order to assist OSHA and MSHA in the formulation of regulations.

In addition to these publications, NIOSH periodically presents testimony before various Congressional committees and at OSHA and MSHA rulemaking hearings.

Recommendations made through 1992 are available in a single compendium entitled *NIOSH Recommendations for Occupational Safety and Health: Compendium of Policy Documents and Statements* [DHHS (NIOSH) Publication No. 92-100] (<http://www.cdc.gov/niosh/92-100.html>). More recent recommendations are available on the NIOSH Web site (<http://www.cdc.gov/niosh>). Copies of the *Compendium* may be ordered from the NIOSH Publications office (800-356-4674).

HOW TO USE THIS POCKET GUIDE

The *Pocket Guide* has been designed to provide chemical-specific data to supplement general industrial hygiene knowledge. Individual tables for each chemical present this data in the Chemical Listing section (page 1). To maximize the amount of data provided in the limited space in these tables, abbreviations and codes have been used extensively. These abbreviations and codes, which have been designed to permit rapid comprehension by the regular user, are discussed for each field in these chemical tables in the following subsections.

Chemical Name

The chemical name found in the OSHA General Industry Air Contaminants Standard (29 CFR 1910.1000) is listed in the blue box in the top left portion of each chemical table. This name is referred to as the “primary name” in the Chemical, Synonym, and Trade Name Index (page 383).

Structure/Formula

The chemical structure or formula is listed in the field to the right of the chemical name in each chemical table. Carbon-carbon double bonds (-C=C-) and carbon-carbon triple bonds (-C≡C-) have been indicated where applicable.

CAS Number

This section lists the Chemical Abstracts Service (CAS) registry number. The CAS number, in the format xxx-xx-x, is unique for each chemical and allows efficient searching on computerized data bases. A page index for all CAS registry numbers listed is included at the back of the *Pocket Guide* (page 374) to help the user locate a specific substance.

RTECS Number

This section lists the NIOSH Registry of Toxic Effects of Chemical Substances (RTECS[®]) number, in the format ABxxxxxxx. RTECS[®] may be useful for obtaining additional toxicologic information on a specific substance.

RTECS[®] is a compendium of data extracted from the open scientific literature. On December 18, 2001, CDC's Technology Transfer Office, on behalf of NIOSH, successfully completed negotiating a "PHS Trademark Licensing Agreement" for RTECS[®]. This non-exclusive licensing agreement provides for the transfer and continued development of the "RTECS[®] database and its trademark" to MDL Information Systems, Inc. (MDL), a wholly owned subsidiary of Elsevier Science, Inc. Under this agreement, MDL will be responsible for updating, licensing, marketing, and distributing RTECS[®]. For more information visit the MDL Web site (<http://www.mdli.com>).

The RTECS[®] entries for chemicals listed in the *Pocket Guide* can be viewed on the NIOSH Web site (<http://www.cdc.gov/niosh/npg/npg.html>) or on the CD-ROM version of the *Pocket Guide* (see page iii for ordering information).

IDLH

This section lists the immediately dangerous to life or health concentrations (IDLHs). For the June 1994 Edition of the *Pocket Guide*, NIOSH reviewed and in many cases revised the IDLH values. The criteria utilized to determine the adequacy of the original IDLH values were a combination of those used during the Standards Completion Program and a newer methodology developed by NIOSH. These "interim" criteria formed a tiered approach, preferentially using acute human toxicity data, followed by acute animal inhalation toxicity data, and then by acute animal oral toxicity data to determine a preliminary updated IDLH value. When relevant acute toxicity data were insufficient or unavailable, NIOSH also considered using chronic toxicity data or an analogy to a chemically similar substance. NIOSH then compared these preliminary values with the following criteria to determine the updated IDLH value: 10% of lower explosive limit (LEL); acute animal respiratory irritation data (RD₅₀); other short-term exposure guidelines; and the *NIOSH Respirator Selection Logic* (DHHS [NIOSH] Publication No. 2005-100;

<http://www.cdc.gov/niosh/docs/2005-100>). The *Documentation for Immediately Dangerous to Life or Health Concentrations* (NTIS Publication Number PB-94-195047) further describes these criteria and provides information sources for both the original and revised IDLH values (<http://www.cdc.gov/niosh/idlh/idlh-1.html>). NIOSH currently is assessing the various uses of IDLHs, whether the criteria used to derive the IDLH values are valid, and if other information or criteria should be utilized.

The purpose for establishing an IDLH value in the Standards Completion Program was to determine the airborne concentration from which a worker could escape without injury or irreversible health effects from an IDLH exposure in the event of the failure of respiratory protection equipment. The IDLH was considered a maximum concentration above which only a highly reliable breathing apparatus providing maximum worker protection should be permitted. In determining IDLH values, NIOSH considered the ability of a worker to escape without loss of life or irreversible health effects along with certain transient effects, such as severe eye or respiratory irritation, disorientation, and incoordination, which could prevent escape. As a safety margin, IDLH values are based on effects that might occur as a consequence of a 30-minute exposure. However, the 30-minute period was NOT meant to imply that workers should stay in the work environment any longer than necessary; in fact, EVERY EFFORT SHOULD BE MADE TO EXIT IMMEDIATELY!

The *NIOSH Respirator Selection Logic* defines IDLH exposure conditions as “conditions that pose an immediate threat to life or health, or conditions that pose an immediate threat of severe exposure to contaminants, such as radioactive materials, which are likely to have adverse cumulative or delayed effects on health.” The purpose of establishing an IDLH exposure concentration is to ensure that the worker can escape from a given contaminated environment in the event of failure of the respiratory protection equipment. The *Respirator Selection Logic* uses IDLH values as one of several respirator selection criteria. Under the *Respirator Selection Logic*, the most protective respirators (e.g., a self-contained breathing apparatus equipped with a full facepiece and operated in a pressure-demand or other positive-pressure mode) would be selected for firefighting, exposure to carcinogens, entry into oxygen-deficient atmospheres, in emergency situations, during entry into an atmosphere that contains a substance at a concentration greater than 2,000 times the NIOSH REL or OSHA PEL, and for entry into IDLH atmospheres. IDLH values are listed in the *Pocket Guide* for over 380 substances.

The notation “Ca” appears in the IDLH field for all substances that NIOSH considers potential occupational carcinogens. However, IDLH values that were originally determined in the Standards Completion Program or were subsequently revised are shown in brackets following the “Ca” designations. “10%LEL” indicates that the IDLH was based on 10% of the lower explosive limit for safety considerations even though the relevant toxicological data indicated that irreversible health effects or impairment of escape existed only at higher concentrations. “N.D.” indicates that an IDLH value has not been determined for that substance. Appendix F (page 361) contains an explanation of the “Effective” IDLHs used for four chloronaphthalene compounds.

Conversion Factors

This section lists factors for the conversion of ppm (parts of vapor or gas per million parts of contaminated air by volume) to mg/m³ (milligrams of vapor or gas per cubic meter of contaminated air) at 25°C and 1 atmosphere for chemicals with exposure limits expressed in ppm.

DOT ID and Guide Number

This section lists the U.S. Department of Transportation (DOT) Identification numbers and the corresponding Guide numbers. Their format is xxxx yyy. The Identification (ID) number (xxxx) indicates that the chemical is regulated by DOT. The Guide number (yyy) refers to actions to be taken to stabilize an emergency situation; this information can be found in the *2004 Emergency Response Guidebook* (Office of Hazardous Materials Initiatives and Training [DHM-50], Research and Special Programs Administration, U.S. Department of Transportation, 400 7th Street, S.W., Washington, D.C. 20590-0001; for sale by the U.S. Government Printing Office, Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954). This information is also available on the CD-ROM and Web site versions of the *Pocket Guide* (<http://www.cdc.gov/niosh/npg/npg.html>). A page index for all DOT ID numbers listed is provided on page 379 to help the user locate a specific substance; please note however, that many DOT numbers are **not** unique for a specific substance.

Synonyms and Trade Names

This section contains an alphabetical list of common synonyms and trade names for each chemical. A page index for all chemical names, synonyms, and trade names listed in the *Pocket Guide* is included on page 383.

Exposure Limits

The NIOSH recommended exposure limits (**RELs**) are listed first in this section. For NIOSH RELs, “**TWA**” indicates a time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek. A short-term exposure limit (STEL) is designated by “**ST**” preceding the value; unless noted otherwise, the STEL is a 15-minute TWA exposure that should not be exceeded at any time during a workday. A ceiling REL is designated by “**C**” preceding the value; unless noted otherwise, the ceiling value should not be exceeded at any time. Any substance that NIOSH considers to be a potential occupational carcinogen is designated by the notation “**Ca**” (see Appendix A [page 342], which contains a brief discussion of potential occupational carcinogens).

The OSHA permissible exposure limits (**PELs**), as found in Tables Z-1, Z-2, and Z-3 of the OSHA General Industry Air Contaminants Standard (29 CFR 1910.1000), that were effective on July 1, 1993* and which are currently enforced by OSHA are listed next.

*In July 1992, the 11th Circuit Court of Appeals in its decision in *AFL-CIO v. OSHA*, 965 F.2d 962 (11th Cir., 1992) vacated more protective PELs set by OSHA in 1989 for 212 substances, moving them back to PELs

established in 1971. The appeals court also vacated new PELs for 164 substances that were not previously regulated. Enforcement of the court decision began on June 30, 1993. Although OSHA is currently enforcing exposure limits in Tables Z-1, Z-2, and Z-3 of 29 CFR 1910.1000 which were in effect before 1989, violations of the “general duty clause” as contained in Section 5(a) (1) of the Occupational Safety and Health Act may be considered when worker exposures exceed the 1989 PELs for the 164 substances that were not previously regulated. The substances for which OSHA PELs were vacated on June 30, 1993 are indicated by the symbol “†” following OSHA in this section and previous values (the PELs that were vacated) are listed in Appendix G (page 362).

TWA concentrations for OSHA **PELs** must not be exceeded during any 8-hour workshift of a 40-hour workweek. A STEL is designated by “**ST**” preceding the value and is measured over a 15-minute period unless noted otherwise. OSHA ceiling concentrations (designated by “**C**” preceding the value) must not be exceeded during any part of the workday; if instantaneous monitoring is not feasible, the ceiling must be assessed as a 15-minute TWA exposure. In addition, there are a number of substances from Table Z-2 (e.g., beryllium, ethylene dibromide) that have PEL ceiling values that must not be exceeded except for specified excursions. For example, a “5-minute maximum peak in any 2 hours” means that a 5-minute exposure above the ceiling value, but never above the maximum peak, is allowed in any 2 hours during an 8-hour workday. Appendix B (page 344) contains a brief discussion of substances regulated as carcinogens by OSHA.

Concentrations are given in ppm, mg/m³, mppcf (millions of particles per cubic foot of air as determined from counting an impinger sample), or fibers/cm³ (fibers per cubic centimeter). The “[**skin**]” designation indicates the potential for dermal absorption; skin exposure should be prevented as necessary through the use of good work practices, gloves, coveralls, goggles, and other appropriate equipment. The “(**total**)” designation indicates that the REL or PEL listed is for “total particulate” versus the “(**resp**)” designation which refers to the “respirable fraction” of the airborne particulate.

Appendix C (page 345) contains more detailed discussions of the specific exposure limits for certain low-molecular-weight aldehydes, asbestos, various dyes (benzidine-, o-tolidine-, and o-dianisidine-based), carbon black, chloroethanes, the various chromium compounds (chromic acid and chromates, chromium(II) and chromium(III) compounds, and chromium metal), coal tar pitch volatiles, coke oven emissions, cotton dust, lead, mineral dusts, NIAX® Catalyst ESN, trichloroethylene, and tungsten carbide (cemented). Appendix D (page 350) contains a brief discussion of substances included in the *Pocket Guide* with no established RELs at this time. Appendix F (page 361) contains miscellaneous notes regarding the OSHA PEL for benzene, and Appendix G (page 362) lists the OSHA PELs that were vacated on June 30, 1993.

Measurement Methods

The section provides a source (NIOSH or OSHA) and the corresponding method number for measurement methods which can be used to determine the exposure for the chemical or

substance. Unless otherwise noted, the NIOSH methods are from the 4th edition of the *NIOSH Manual of Analytical Methods* (DHHS [NIOSH] Publication No. 94-113 [<http://www.cdc.gov/niosh/nmam>]) and supplements. If a different edition of the *NIOSH Manual of Analytical Methods* is cited, the appropriate edition and, where applicable, the volume number are noted [e.g., II-4 (2nd edition, volume 4)]. The OSHA methods are from the OSHA Web site (<http://www.osha-slc.gov/dts/sltc/methods>). “None available” means that no method is available from NIOSH or OSHA. Table 1 (page xvii) lists the editions, volumes, and supplements of the *NIOSH Manual of Analytical Methods*.

Each method listed is the recommended method for the analysis of the compound of interest. However, the method may not have been fully optimized to meet the specific sampling situation. Note that some methods are only partially evaluated and have been used in very limited sampling situations. Review the details of the method and consult with the laboratory performing the analysis regarding the applicability of the method and the need for further modifications to the method in order to adjust for the particular conditions.

Physical Description

A brief description of the appearance and odor of each substance is provided in the physical description section. Notations are made as to whether a substance can be shipped as a liquefied compressed gas or whether it has major use as a pesticide.

Chemical and Physical Properties

The following abbreviations are used for the chemical and physical properties given for each substance. “NA” indicates that a property is not applicable, and a question mark (?) indicates that it is unknown.

MW.....	Molecular weight
BP.....	Boiling point at 1 atmosphere, °F
Sol.....	Solubility in water at 68°F*, % by weight (i.e., g/100 ml)
Fl.P.....	Flash point (i.e., the temperature at which the liquid phase gives off enough vapor to flash when exposed to an external ignition source), closed cup (unless annotated “(oc)” for open cup), °F
IP.....	Ionization potential, eV (electron volts) (Ionization potentials are given as a guideline for the selection of photoionization detector lamps used in some direct-reading instruments.)
Sp.Gr.....	Specific gravity at 68°F* referenced to water at 39.2°F (4°C)
RGasD.....	Relative density of gases referenced to air = 1 (indicates how many times a gas is heavier than air at the same temperature)
VP.....	Vapor pressure at 68°F*, mm Hg; “approx” indicates approximately
FRZ.....	Freezing point for liquids and gases, °F
MLT.....	Melting point for solids, °F

- UEL.....Upper explosive (flammable) limit in air, % by volume
(at room temperature*)
- LEL.....Lower explosive (flammable) limit in air, % by volume
(at room temperature*)
- MEC.....Minimum explosive concentration, g/m³ (when available)

*If noted after a specific entry, these properties may be reported at other temperatures.

When available, the flammability/combustibility of a substance is listed at the bottom of the chemical and physical properties section. The following OSHA criteria (29 CFR 1910.106) were used to classify flammable or combustible liquids:

- Class IA flammable liquid..... Fl.P below 73°F and BP below 100°F.
- Class IB flammable liquid..... Fl.P below 73°F and BP at or above 100°F.
- Class IC flammable liquid..... Fl.P at or above 73°F and below 100°F.
- Class II combustible liquid..... Fl.P at or above 100°F and below 140°F.
- Class IIIA combustible liquid..... Fl.P at or above 140°F and below 200°F.
- Class IIIB combustible liquid..... Fl.P at or above 200°F.

Personal Protection and Sanitation

This section presents a summary of recommended practices for each substance. These recommendations supplement general work practices (e.g., no eating, drinking, or smoking where chemicals are used) and should be followed if additional controls are needed after using all feasible process, equipment, and task controls. Table 2 (page xviii) explains the codes used. Each category is described as follows:

- SKIN..... Recommends the need for personal protective clothing.
- EYES..... Recommends the need for eye protection.
- WASH SKIN..... Recommends when workers should wash the spilled chemical from the body in addition to normal washing (e.g., before eating).
- REMOVE..... Advises workers when to remove clothing that has accidentally become wet or significantly contaminated.
- CHANGE..... Recommends whether routine changing of clothing is needed.
- PROVIDE..... Recommends the need for eyewash fountains and/or quick drench facilities.

Recommendations for Respirator Selection

This section provides a condensed table of allowable respirators to be used for those substances for which IDLH values have been determined, or for which NIOSH has previously provided respirator recommendations (e.g., in criteria documents or Current Intelligence Bulletins) for certain chemicals. There are, however, 186 chemicals listed in

the *Pocket Guide* for which IDLH values have yet to be determined. Since the IDLH is a critical component for completing the Respirator Selection Logic for a given chemical, the *Pocket Guide* does not provide respiratory recommendations for those 186 chemicals without IDLH values. As new or revised IDLH values are developed for those and other chemicals, NIOSH will provide appropriate respirator recommendations. (Updated information on the *Pocket Guide* can be found on the NIOSH Web site (<http://www.cdc.gov/niosh/npg/npg.html>) and incorporated into subsequent editions of the *Pocket Guide*. [Appendix F (page 361) contains an explanation of the “Effective” IDLHs used for four chloronaphthalene compounds.]

In 1995, NIOSH developed a new set of regulations in 42 CFR 84 (also referred to as “Part 84”) for testing and certifying non-powered, air-purifying, particulate-filter respirators. The new Part 84 respirators have passed a more demanding certification test than the old respirators (e.g., dust; dust and mist; dust, mist, and fume; spray paint; pesticide) certified under 30 CFR 11 (also referred to as “Part 11”). Recommendations for non-powered, air-purifying particulate respirators have been updated from previous editions of the *Pocket Guide* to incorporate Part 84 respirators; Part 11 terminology has been removed. See Table 4 (page xxv) for information concerning the selection of N-, R-, or P-series (Part 84) particulate respirators.

In January 1998, OSHA revised its respiratory protection standard (29 CFR 1910.134). Among the provisions in the revised standard is the requirement for an end-of-service-life indicator (ESLI) or a change schedule when air-purifying respirators with chemical cartridges or canisters are used for protection against gases and vapors [29 CFR 1910.134(d)(3)(iii)]. (*Note: All respirator codes containing “Ccr” or “Ov” are covered by this requirement.*) In the *Pocket Guide*, air-purifying respirators (without ESLIs) for protection against gases and vapors are recommended only for chemicals with adequate warning properties, but now these respirators may be selected regardless of the warning properties. Respirator recommendations in the *Pocket Guide* have not been revised in this edition to reflect the OSHA requirements for ESLIs or change schedules.

Appendix A (page 342) lists the NIOSH carcinogen policy. Respirator recommendations for carcinogens in the *Pocket Guide* have not been revised to reflect this policy; these recommendations will be revised in future editions.

The first line in the entry indicates whether the “NIOSH” or the “OSHA” exposure limit is used on which to base the respirator recommendations. The more protective limit between the NIOSH REL or the OSHA PEL is always used. “NIOSH/OSHA” indicates that the limits are equivalent.

Each subsequent line lists a maximum use concentration (MUC) followed by the classes of respirators that are acceptable for use up to the MUC. Codes for the various categories of respirators, and Assigned Protection Factors (APFs) for these respirators, are listed in Table 3 (page xx). Individual respirator classes are separated by diagonal lines (/). More protective respirators may be worn. The symbol “§” is followed by the classes of respirators that are acceptable for emergency or planned entry into unknown concentrations or entry into IDLH conditions. “**Escape**” indicates that the respirators are to be used only

for escape purposes. For each MUC or condition, this entry lists only those respirators with the required APF and other use restrictions based on the *NIOSH Respirator Selection Logic*.

All respirators selected must be approved by NIOSH under the provisions of 42 CFR 84. The current listing of NIOSH/MSHA certified respirators can be found in the *NIOSH Certified Equipment List*, which is available on the NIOSH Web site (<http://www.cdc.gov/niosh/npptl/topics/respirators/cel>).

A complete respiratory protection program must be implemented and must fulfill all requirements of 29 CFR 1910.134. A respiratory protection program must include a written standard operating procedure covering regular training, fit-testing, fit-checking, periodic environmental monitoring, maintenance, medical monitoring, inspection, cleaning, storage and periodic program evaluation. Selection of a specific respirator within a given class of recommended respirators depends on the particular situation; this choice should be made only by a knowledgeable person. REMEMBER: Air-purifying respirators will not protect users against oxygen-deficient atmospheres, and they are not to be used in IDLH conditions. The only respirators recommended for fire fighting are self-contained breathing apparatuses that have full facepieces and are operated in a pressure-demand or other positive-pressure mode. Additional information on the selection and use of respirators can be found in the *NIOSH Respirator Selection Logic* (DHHS [NIOSH] Publication No. 2005-100) and the *NIOSH Guide to Industrial Respiratory Protection* (DHHS [NIOSH] Publication No. 87-116), which are available on the Respirator Topic Page on the NIOSH Web site (<http://www.cdc.gov/niosh/npptl/topics/respirators>).

Incompatibilities and Reactivities

This section lists important hazardous incompatibilities or reactivities for each substance.

Exposure Routes, Symptoms, and Target Organs

The first row for each substance in this section lists the toxicologically important entry routes (**ER**) and whether contact with the skin or eyes is potentially hazardous. The second row lists the potential symptoms of exposure (**SY**) and whether NIOSH considers the substance a potential occupational carcinogen (**[carc]**). The third row lists target organs (**TO**) affected by exposure to the substance (for carcinogens, the types of cancer are listed in brackets). Information in this section reflects human data unless otherwise noted. Abbreviations are defined in Table 5 (page xxvi).

First Aid

This section lists emergency procedures for eye and skin contact, inhalation, and ingestion of the toxic substance. Abbreviations are defined in Table 6 (page xxviii).

Table 1
NIOSH Manual of Analytical Methods

Edition	Volume	Supplement	Publication No.
2	1		77-157-A
2	2		77-157-B
2	3		77-157-C
2	4		78-175
2	5		79-141
2	6		80-125
2	7		82-100
3			84-100
3		1	85-117
3		2	87-117
3		3	89-127
3		4	90-121
4			94-113
4		1	96-135
4		2	98-119
4		3	2003-154

See **Measurement Methods** section on page xii for more information. The *NIOSH Manual of Analytical Methods* is available on the NIOSH Web site (<http://www.cdc.gov/niosh/nmam>).

Thank You for previewing this eBook

You can read the full version of this eBook in different formats:

- HTML (Free /Available to everyone)
- PDF / TXT (Available to V.I.P. members. Free Standard members can access up to 5 PDF/TXT eBooks per month each month)
- Epub & Mobipocket (Exclusive to V.I.P. members)

To download this full book, simply select the format you desire below

